



# 2025 Annual Water Quality Report

MCWA PWS ID#: NY2701047  
MCWA GENESEE PWS ID#: NY1800547  
MCWA GENEVA PWS ID#: NY3404515  
MCWA KENDALL WD PWS ID#: NY3630094



## Monroe County Water Authority

# 2025 Annual Water Quality Report

SCAN CODE FOR AWQR REPORT:



The Monroe County Water Authority is pleased to provide you this report on the quality of your drinking water which describes its sources, treatment and test results.

MCWA | Established 1950

MCWA Water Quality Summary Table									
2025 Calendar Year Results -									
Detected Substances:	Supply Source -			MCWA Production Water:		MCWA Purchased Water:		Likely Sources in Drinking Water:	Water Quality Violation:
	Source - (Source Type)			Lake Ontario (Surface Water)	Well Field (Groundwater)	Rochester - (Surface Water)	ECWA - (Surface Water)		
	Units:	MCLG:	Regulatory Limit:	Range of detected values:					
Barium	mg/L	2	2	0.02 - 0.024	0.1 - 0.13	0.016	0.021	Erosion of natural deposits	No
Chloride	mg/L	NA	250	25 - 29	61 - 100	39 - 41	21 - 23	Naturally occurring	No
Color	Color Units	NA	15	ND	ND - 3	ND - 5	ND	Naturally occurring	No
Fluoride	mg/L	NA	2.2	0.2 - 1.12	0.13 - 0.41	0.56 - 0.78	0.1 - 0.72	Naturally occurring & additive for dental health	No
Iron	µg/L	NA	300	ND	ND - 20	0.56 - 0.78	0.1 - 0.72	Naturally occurring	No
Manganese	µg/L	NA	300	ND	6.6 - 9.5	ND	ND	Naturally occurring	No
Nickel	µg/L	NA	NS	ND - 2.4	ND - 2	ND	ND	Naturally present in the environment	No
Nitrate	mg/L	10	10	0.18 - 0.29	ND	0.15	0.14	Erosion of natural deposits	No
Perfluorooctanesulfonic acid (PFOS)	ng/L	NS	10	ND - 2.3	ND	ND	ND	Environmental releases from textile sources	No
Perfluorobutanoic acid (PFBA)	ng/L	NS	10	ND - 2	ND	ND - 2.7	ND - 2.8	Environmental releases from textile sources	No
Sodium	mg/L	NA	NS	15 - 17	46 - 110 *	21 - 22 *	12 - 13	Naturally occurring	No
Sulfate	mg/L	NA	250	24 - 26	44 - 49	11 - 12	20	Naturally occurring	No
<b>Turbidity</b> - Turbidity is a measure of cloudiness or clarity of the water. Turbidity has no health effects. MCWA monitors turbidity because it is a good indicator of the effectiveness of our filtration systems and water quality. State regulations require that turbidity must always be below 1 NTU in the combined filter effluent. The regulations also require that 95% of samples collected from the entry point have measurements below 0.3 NTU and the highest monthly average for distribution system samples be below 5 NTU. Averages, annual ranges and lowest monthly percentages are listed.									
Turbidity - Entry Point	NTU	NA	TT	0.05 (0.02 - 0.12) 100% < 0.3 NTU	NR	0.06 (0.0 - 0.16) 100% < 0.3 NTU	0.07 (0.03 - 0.17) 100% < 0.3 NTU	Soil Runoff	No
Turbidity - Distribution	NTU	NA	5	2.12 - 10/24/2025	1.4 - 11/18/2025	2.12 - 10/24/2025	1.4 - 11/18/2025	Soil Runoff	No
<b>Microbial Parameters</b> - For total coliform bacteria, a Treatment Technique violation occurs when more than 5% of monthly samples are positive. The highest monthly % positive and number of positive samples is listed. For E. coli bacteria, a MCL violation occurs when a total coliform positive sample is positive for E. coli and a repeat total coliform sample is positive or when a total coliform positive sample is negative for E. coli but a repeat total coliform sample is positive and the sample is also positive for E. coli. The number of positive E. coli samples is listed.									
Total Coliform Bacteria	NA	0	TT	0.3% - September 1 sample	0%	0.3% - September 1 sample	0%	Naturally present in the environment	No
Escherichia coli (E. coli) Bacteria	NA	0	1	1 sample - 3/17/25	ND	1 sample - 3/17/25	ND	Human and animal fecal waste	No
<b>Disinfectant and Disinfectant By-products (DBPs)</b> - Chlorine has a MRDL (Maximum Residual Disinfectant Level) and MRDLG (MRDL Goal) rather than a MCL and MCLG (Averages and ranges are listed). For the DBPs (Total Trihalomethanes and Haloacetic Acids) the annual system averages, ranges for all locations, and highest locational running annual averages for all locations are listed.									
Chlorine Residual - Entry Point	mg/L	NA	MRDL = 4	1.18 (0.7 - 1.65) 0.87 (0.55 - 1.38)	1.1 (0.66 - 1.49)	1 (0.82 - 1.43)	1.62 (0.82 - 1.8)	Additive for control of microbes	No
Chlorine Residual - Distribution	mg/L	NA	MRDL = 4	0.64 (ND - 2.16)	0.69 (ND - 1.49)	0.64 (ND - 2.16)	0.69 (ND - 1.49)	Additive for control of microbes	No
Total Trihalomethanes (TTHMs)	µg/L	NA	80	37 (15 - 78) Max. LRAA = 59.3	48 (19 - 72) Max. LRAA = 62	37 (15 - 78) Max. LRAA = 59.3	48 (19 - 72) Max. LRAA = 62	Byproduct of water chlorination	No
Haloacetic Acids (HAAs)	µg/L	NA	60	12 (ND - 30) Max. LRAA = 18.8	10.3 (ND - 24) Max. LRAA = 10.8	12 (ND - 30) Max. LRAA = 18.8	10.3 (ND - 24) Max. LRAA = 10.8	Byproduct of water chlorination	No
<b>Lead and Copper</b> - 90% of samples must be less than the Action Level (AL). The 90th Percentile, the number of samples exceeding the AL, and the range of results are listed. (2025 biannual monitoring period)									
Copper - Customer Tap Samples	mg/L	1.3	AL = 1.3	0.2 (None) 0.0038 - 0.54	0.081 (None) ND - 0.13	0.2 (None) 0.0038 - 0.54	0.081 (None) ND - 0.13	Corrosion of household plumbing	No
Lead - Customer Tap Samples	µg/L	0	AL = 15	4 (None) ND - 14	0.54 (None) ND - 0.75	4 (None) ND - 14	0.54 (None) ND - 0.75	Corrosion of household plumbing	No
* There is no MCL set for sodium in water. However, EPA recommends that water containing more than 20 mg/L of sodium should not be used for drinking by people on severely restricted sodium diets. Water containing more than 270 mg/L of sodium should not be used for drinking by people on moderately restricted sodium diets.									
<b>Unregulated Contaminant Monitoring (UCMR5)</b> - The EPA issues lists of 30 unregulated contaminants or less to be monitored by public water systems. This provides baseline occurrence data that the EPA combines with toxicological research to make decisions about future drinking water regulations. UCMR5 was published in 2021 and requires public water systems to participate in monitoring between 2023 - 2025 using analytical methods developed by the EPA and consensus organizations. MCWA performed UCMR5 monitoring in 2023 and 2024 with detected substances listed below. The full list of UCMR5 substances may be found in the AWQR supplement.									
Metals:	Entry Points:		Lake Ontario Supplies -		Purchased Water Supplies -		Groundwater Supply -		Water Quality Violation:
	Units	Regulatory Limit	SWTP	WWTP	Rochester	ECWA	CWTP		
Lithium	µg/L	NA	ND	ND	ND	NR	ND - 12.1	NA	

For more information on the MCWA's water quality monitoring program call Customer Service at 585-442-7200 or visit our website at: [www.mcwa.com](http://www.mcwa.com).

### Key Terms Used in Water Quality Table

**MCL** = Maximum Contaminant Level, the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to MCLGs as possible.

**MCLG** = Maximum Contaminant Level Goal, the level of a contaminant below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

**MRDL** = Maximum Residual Disinfectant Level, the highest level of a disinfectant below which there is no known or expected risk to health. There is convincing evidence that addition of a disinfectant is necessary to control microbial contamination.

**MRDLG** = Maximum Residual Disinfectant Level Goal, the level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contamination.

**LRAA** = Locational Running Annual Average, the annual average contaminant concentration at a monitoring site.

**pCi/L** = Picocuries per liter, a measure of the radioactivity in water.

**TT** = Treatment Technique, a required process intended to reduce the level of a contaminant in drinking water.

**AL** = Action Level, the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow.

**ND** = Not Detected, absent or present at less than testing method detection level. All testing methods are EPA approved with detection limits much less than the MCL.

**NA** = Not Applicable.

**NR** = Not Required.

**NS** = No Standard.

**mg/L** = milligram (1/1,000 of a gram) per liter = ppm = parts per million.

**µg/L** = microgram (1/1,000,000 of a gram) per liter = ppb = parts per billion.

**ng/L** = nanogram (1/1,000,000,000 of a gram) per liter = ppt = parts per trillion.

**NTU** = Nephelometric Turbidity Unit, a measure of water clarity. Turbidity in excess of 5 NTU is just noticeable to the average person.

**CWTP** = Corfu Water Treatment Plant.

**SWTP** = Shoremont Water Treatment Plant.

**WWTP** = Webster Water Treatment Plant.

**MCWA** = Monroe County Water Authority.

**Rochester** = City of Rochester.

**ECWA** = Erie County Water Authority.

### Compounds Tested For But Not Detected:

Benzene	1,1,2-Trichloroethane	Dieldrin	1H,1H,2H,2H-perfluorodecane sulfonic acid (8:2FTS)
Bromobenzene	Trichloroethene	Dinoseb	1H,1H,2H,2H-perfluorohexane sulfonic acid (4:2FTS)
Bromochloromethane	Trichlorofluoromethane	1,4-Dioxane	1H,1H,2H,2H-perfluorooctane sulfonic acid (6:2FTS)
Bromomethane	1,2,3-Trichloropropane	Diquat	4,8-dioxo-3H-perfluorooctanoic acid (ADONA)
n-Butylbenzene	1,2,4-Trimethylbenzene	Endosulf	9-chlorohexadecafluoro-3-oxanonane-1-sulfonic acid (9C1-PF3ONS)
sec-Butylbenzene	1,3,5-Trimethylbenzene	Glyphosate	Hexafluoropropylene oxide dimer acid (HFPO-DA)(GenX)
tert-Butylbenzene	Vinyl Chloride	Hexachlorobenzene	N-ethyl Perfluorooctanesulfonamidoacetic acid (NEFOSAA)
Carbon Tetrachloride	o-Xylene	Hexachlorocyclopentadiene	N-methyl Perfluorooctanesulfonamidoacetic acid (NMFOFAA)
Chlorobenzene	m, p-Xylene	3-Hydroxycarbofuran	Nonafluoro-3,6-dioxahexanoic acid (NFdHA)
Chloroethane	Total Xylene	3,5-Dichlorobenzoic Acid	Perfluoro-2(ethoxyethane) sulfonic acid (PFESA)
Chloromethane	Acifluorfen	Methomyl	Perfluoro-3-methoxypropanoic acid (PFMPA)
2-Chlorotoluene	Alachlor	Metolachlor	Perfluoro-4-methoxybutanoic acid (PFMBA)
4-Chlorotoluene	Aldicarb	Metribuzin	Perfluorobutanesulfonic acid (PFBS)
Dibromomethane	Aldicarb sulfoxide	Oxamyl (lydiate)	Perfluorooctanoic acid (PFDA)
1,2-Dichlorobenzene	Aldicarb sulfone	Paraquat	Perfluorodecanoic acid (PFDA)
1,3-Dichlorobenzene	Atrazine	Perchlorate	Perfluorododecanoic acid (PFDDA)
1,4-Dichlorobenzene	Baygon	Picloram	Perfluoroheptanesulfonic acid (PFHS)
Dichlorodifluoromethane	Bentazon	Propachlor	Perfluoroheptanoic acid (PFHPA)
1,1-Dichloroethane	Carbofuran	Simazine	Perfluorohexanesulfonic acid (PFHS)
1,2-Dichloroethane	Chlordane	2,3,7,8-TCDD (Dioxin)	Perfluorohexanoic acid (PFHA)
1,1-Dichloroethene	Dibromochloropropane	Antimony	Perfluorononanoic acid (PFNA)
cis-1,2-Dichloroethene	2,4-D	Asbestos	Perfluoropentanesulfonic acid (PFPS)
trans-1,2-Dichloroethene	Endrin	Beryllium	Perfluoropentanoic acid (PFPA)
1,2-Dichloropropane	Ethylene Dibromide	Chromium	Perfluorotetradecanoic acid (PFTA)
1,3-Dichloropropane	Heptachlor	Cyanide	Perfluorotridecanoic acid (PFTA)
2,2-Dichloropropane	Heptachlor Epoxide	Mercury	Perfluoroundecanoic acid (PFTA)
1,1-Dichloropropene	Lindane (gamma-BHC)	Nitrite	
1,3-Dichloropropene(cis)	Methoxychlor	Selenium	
1,3-Dichloropropene(trans)	p,p' DDD	Silver	
Ethylbenzene	p,p' DDE	Thallium	
Hexachlorobutadiene	p,p' DDT	Zinc	
p-Isopropyltoluene	PCB's Total	Surfactants (Foaming Agents)	
Methyl Tert-butyl ether (MTBE)	Pentachlorophenol	Cryptosporidium	
Methylene Chloride (dichloromethane)	Toxaphene	Giardia Lambia	
n-Propylbenzene	2,4,5-TP (Silvex)	Monobromoacetic acid	
Styrene	Aldrin	Monochloroacetic acid	
1,1,1,2-Tetrachloroethane	Benzo(a)pyrene	Tribromoacetic acid	
1,1,2,2-Tetrachloroethane	Butachlor	Gross Alpha Particles	
Tetrachloroethene	Carbaryl	Radium 226	
Toluene	Dalapon	Radium 228	
1,2,3-Trichlorobenzene	Di(2-Ethylhexyl) Adipate	Combined Radium 226/228	
1,2,4-Trichlorobenzene	Di(2-Ethylhexyl) phthalate (DEHP)	Uranium	
1,1,1-Trichloroethane	Dicamba	11-chloroicosofluoro-3-oxaundecane-1-sulfonic acid (11C1-PF30US)	

# MONROE COUNTY WATER AUTHORITY

**Abundant. Inexpensive. Pure.**

The Monroe County Water Authority is the third largest water supplier in New York State, producing and delivering an average of 23.3 billion gallons of drinking water each year. As a public benefit corporation established in 1950 under the New York State Public Authorities Law, our sole purpose is to provide you with quality water and reliable service at an affordable price.

Many communities have been unable to or unwilling to make the investments necessary to maintain their water systems. That's not the case with the Monroe County Water Authority. In 2025, we invested \$27.99 million in infrastructure improvements. Our commitment to efficiency and cost controls is shown in our water rate history. Our rates are below the national average and the lowest 25% for northeast U.S. suppliers. It costs an average Water Authority residential customer about \$32.08 a month for all the water they need.

The Monroe County Water Authority's 211 employees are dedicated to providing you all the clean, safe drinking water you need, whenever you need it.

This annual water quality report is being provided to all of our customers in compliance with U.S. Environmental Protection Agency (USEPA) and New York State Department of Health (NYSDOH) regulations. For more information visit

our website at [www.MCWA.com](http://www.MCWA.com).

## Source and Treatment.

Our primary water source is Lake Ontario, one of North America's five Great Lakes. Surface water is treated at our Shoremont Plant in the town of Greece and at our Webster Plant in town of Webster. We also operate the Corfu Plant, a small groundwater source supply in the village of Corfu and purchase water from the city of Rochester (Rochester) and the Erie County Water Authority (ECWA). All the water supply sources we use are located within the Great Lakes watershed area. The boundaries between the supply areas change daily as we manage the sources to optimize delivery of water to our customers.

The New York State Department of Health has evaluated the susceptibility of water supplies statewide to potential contamination under the Source Water Assessment Program (SWAP). In general, the Great Lakes sources used by MCWA and ECWA are not very susceptible because of their size and quality. Hemlock and Canadice Lakes, sources for Rochester's Hemlock Plant, are not very susceptible because of their size and controlled watersheds. The groundwater aquifer source used by the Corfu Plant is more susceptible, but the confined nature of the aquifer provides protection against the few nearby potential contamination sources. Because storm and wastewater contamination are potential threats to any

source water, the water provided to our customers undergoes rigorous treatment and testing prior to its delivery.

The Shoremont and Webster Plants as well as the purchase water suppliers all use a similar treatment process that includes pH adjustment, coagulation, filtration, and disinfection. Coagulants are added to clump together suspended particles found in source waters, enhancing their removal during filtration. Chlorine is used to disinfect the water and to provide the residual disinfectant that preserves the quality of the water as it travels from each plant to your home. Fluoride is added to help prevent tooth decay. The treatment process at the Corfu Plant consists of filtration, softening, and disinfection with chlorine. These water treatment plants operate in compliance with all the NYSDOH and USEPA regulatory requirements that apply.

For more information on the SWAP and how you can help protect the source of your drinking water, contact MCWA's Customer Service Department at (585) 442-7200 or visit our website at [www.MCWA.com](http://www.MCWA.com).

## MCWA 2025 STATISTICS:

LAKE ONTARIO WATER WITHDRAWAL:	<b>58.7</b>	Million Gallons Per Day
AVERAGE SYSTEM USE:	<b>63.8</b>	Million Gallons Per Day
NON-BILLABLE WATER: [ Firefighting, Flushing, Maintenance, Leaks ]	<b>13.05</b>	Million Gallons Per Day
AVERAGE RESIDENTIAL ANNUAL COST:	<b>\$384.94</b>	Per Year
POPULATION SERVED:	<b>801,503</b>	Retail and Wholesale
NUMBER OF ACCOUNTS:	<b>191,673</b>	
MILES OF WATER MAINS:	<b>3,492</b>	
NUMBER OF FIRE HYDRANTS:	<b>27,962</b>	

## Water Quality.

This report is an overview of last year's water quality. Drinking water sources (both tap and bottled water) include lakes, reservoirs, rivers and streams, springs, and groundwater wells. As water travels over land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from animal or human activities. Contaminants that may be present in untreated water include inorganic and organic chemicals, pesticides and herbicides, and radioactive and microbiological contaminants. In order to ensure that your tap water is safe to drink, the NYSDOH and USEPA establish regulations that set limits on contaminant levels in water provided by public water systems. These limits are known as Maximum Contaminant Levels (MCLs). The regulations also specify testing, reporting, and public notification for each contaminant. The MCWA's monitoring program substantially exceeds NYSDOH and USEPA requirements. County and state Departments of Health also review our operating, monitoring, and testing data for regulatory compliance and independently monitor quality in our water distribution system.

Some constituents we tested for were detected but at concentrations well below the allowable MCLs. It is important to remember all drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a risk to health. Additional information

about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline at 1-800-426-4791.

## Do I Need to Take Special Precautions?

Some people may be more vulnerable to disease-causing microorganisms or pathogens in drinking water than the general population. Immuno-compromised persons such as chemotherapy patients, organ transplant recipients, people with HIV / AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. USEPA / CDC (U.S. Centers for Disease Control and Prevention) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium, Giardia, and other microbiological contaminants are available from the USEPA's Safe Drinking Water Hotline at 1-800-426-4791, the Monroe County Department of Public Health, 111 Westfall Road, Rochester, New York 14620, (585) 753-5564, or your local county health department.

The Monroe County Water Authority is in violation of State lead and copper control requirements for failure to install optimal corrosion control treatment (OCCT) and is required to complete corrosion control treatment studies by October 25, 2026. Therefore we must include the following statement in this report:

*Exposure to lead in drinking water can cause serious health effects in all age groups. Infants and children can have decreases in IQ and attention span. Lead exposure can lead to new learning and behavioral problems or exacerbate existing learning and behavioral problems. The children of women who are exposed to lead before or during pregnancy can have increased risks of these adverse health effects. Adults can have increased risks of heart disease, high blood pressure, and kidney or nervous system problems.*

## Lead in Drinking Water.

Lead can cause serious health problems, especially for pregnant women, infants, and young children. There is no detectable lead in the water we deliver to your home. Lead in drinking water is primarily from lead-bearing materials and components associated with service lines and home plumbing. The Monroe County Water Authority is responsible for providing high quality drinking water but cannot control the variety of materials used in plumbing components. Although our testing indicates this is not a problem for our customers, it is possible that lead levels at your home might be higher than at other homes in the community as a result of the materials used in your home's plumbing. You share the responsibility for protecting yourself and your family from lead in your home plumbing. You can take responsibility by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. *When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your faucet tap for 30-seconds to 2-minutes before using water for drinking or cooking. You can also use a filter certified by an American National Standards Institute accredited certifier to reduce lead in drinking water. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at:*

[www.MCWA.com/my-water/water-quality/lead/](http://www.MCWA.com/my-water/water-quality/lead/)

or from the USEPA's Safe Drinking Water Hotline 1-800-426-4791 and website:

[www.EPA.gov/safewater/lead](http://www.EPA.gov/safewater/lead)

## Information on Lead Service Line Inventory.

A Lead Service Line (LSL) is defined as any portion of pipe that is made of lead

which connects the water main to the building inlet. An LSL may be owned by the water system, owned by the property owner, or both. In accordance with the federal Lead & Copper Rule Revisions (LCRR), the MCWA has prepared an LSL inventory and made it publically accessible by visiting our website at:

[www.MCWA.com/my-water/water-quality/lead/](http://www.MCWA.com/my-water/water-quality/lead/)

Click on the MCWA Service Line Material Inventory map to access the inventory to review your location. The inventory includes both potable and non-potable service lines within our system.

## Information on Fluoride Addition.

The MCWA is one of many New York state public water utilities providing water with a controlled, low level concentration of fluoride for consumer dental health protection. According to the U.S. Centers for Disease Control and Prevention, fluoride is very effective in preventing cavities when present at an optimum level of 0.7 mg/L. To ensure optimal dental protection, the NYSDOH requires that we monitor fluoride levels on a daily basis. In 2025, the fluoride levels in your water were within 0.2 mg/L of the CDC's recommended optimal level 99.5% of the time with an average concentration of 0.69 mg/L for water produced by the Shoremont and Webster Plants. The highest monitoring level was 1.12 mg/L, below the 2.2 mg/L MCL for fluoride in water.

## System Improvements.

In our continuing efforts to maintain a safe and dependable water supply it is necessary to make improvements in your water system. The costs of these improvements may be reflected in the rates we charge. Rate adjustments may be necessary in order to address and construct these improvements.

## Taste and Odor.

Sometimes you may find your water tastes or smells like chlorine. The water is safe to drink. We are required to maintain a chlorine residual in the water supply distribution system to maintain water quality. To eliminate or reduce the taste of chlorine in your water, simply store tap water in a container overnight in your refrigerator. An inexpensive carbon media filter can also be used for this purpose.

## Conservation.

Lake Ontario and the Great Lakes System provides an abundance of water to the communities we serve, and our customers greatly benefit by having this natural resource close to home. However, it takes power to treat and deliver water to your house. Therefore, conserving energy is helpful to providing clean, safe water to you.

Although our water rates are below the national average, no one wants to pay for water that is wasted whether by accident or on purpose. To save water, fix leaky faucets and toilets promptly, replace washer gaskets when garden hoses start to drip, and water your lawn in the early morning. After 10:00 am the sun's heat draws water from the lawn through evaporation. When you irrigate early, you can water less because more of the water is absorbed into the lawn and soil. To find more water saving tips, visit us online at: [www.MCWA.com](http://www.MCWA.com).

## FOR MORE INFORMATION

If you have questions about this report, your bill, or Monroe County Water Authority operations, then call (585) 442-7200.

To view the MCWA Board of Directors meeting schedule, visit us online at [www.MCWA.com](http://www.MCWA.com).

