



JOB DESCRIPTION: LABORER

WHO WE ARE

Monroe County Water Authority is a not-for-profit public benefit corporation that reliably provides quality, affordable water to foster economic vitality and enhanced quality of life for Monroe County and area communities who request service. Currently serving over 700,000 people in Monroe and its five adjacent counties, MCWA produces and delivers an average of 60 million gallons of water each day.

WHAT WE OFFER

- Salary range: \$21.28 - \$29.42
- Scheduled 40 hours per week
- Paid training
- Overtime opportunities
- Health insurance
- Dental insurance
- Life insurance
- Paid vacation
- 12 paid holidays per year
- Five personal days
- Deferred compensation plan
- New York State Employees Retirement System

JOB DESCRIPTION

This is an entry level unskilled position at the Monroe County Water Authority, involving a variety of routine heavy and light manual labor tasks, performed under direct supervision of a foreman. The job requires physical endurance and employees may be required to work outdoors in all kinds of weather, to work overtime, and to be on 24-hour call, seven days a week, for emergencies.

TYPICAL WORK ACTIVITIES

- Assists with installation, maintenance, repair and cleaning of water system components
- Shovels, rakes and tamps asphalt
- Digs and refills trenches for water lines
- Excavates and backfills for new construction and repairs
- Directs traffic on road projects
- May drive pick-up truck or other light vehicle
- May assist a mechanic with equipment

- May operate telephone or two-way radio for emergency dispatching

KNOWLEDGE AND SKILLS

- Good knowledge of the use of hand tools
- Working knowledge of methods used for maintenance and construction
- Working knowledge of specific hazards and safety precautions
- Ability to perform heavy manual labor, including lifting
- Ability to follow instructions
- Ability to work under direct supervision
- Ability to work under all weather conditions

MINIMUM QUALIFICATIONS

No training or experience qualifications required.